SNAP-IN LITE KIT DR340

- Fire rated steel glazing trim with snap-in stop
- "The one and only" this famous lite kit has revolutionized the industry. It eliminates all of your "lite-kit headaches," saves on installation time, saves money and reduces inventory.

10' Lengths available in 20 OR 50 PER BUNDLE (TRIM & STOP)

- Also available in random lengths
- Great savings! Contact factory for availability.

SNAP-IN LITE KIT COMPLETE SET DR340 KITFORM

- Pre-cut, pre-notched, and ready to install.
- No screws and reinforcing channel required.
- Installs faster than any other lite kit on the market today.
- Specify horizontal & vertical lengths when ordering.

c UL us LISTED

WARNOCK-HERSEY

SEE PAGE 28 & 29 FOR DETAILS & SIZING CHARTS

WARNOCK-HERSEY

STEEL GLAZING TRIM DR310

- Fire rated, available in 10' lengths and complete lite kit set.
- For use on wood and steel doors.
- Also available In brass, bronze and stainless steel.
- Trim to be used in conjunction with FR320 glass stop.

10 PER BUNDLE (TRIM ONLY)

VISION LITE FIRE RATED SANDWICH-TYPE LITE KIT DR345

- Slim & elegant design.
- Quick and easy to install.
- Always in stock - ready to ship.
- Available in a huge variety of sizes.
- Ideal for all door types.
- Available in a wide range of architectural and specialty finishes.

SEE PAGE 26 & 27 FOR DETAILS & SIZING CHARTS

c UL us LISTED



THERMAL LITE KIT DR300

- Steel glazing trim, available in 10' lengths.
- For double glazing applications, designed to accept up to 1" thick glass. Trim to be used in conjunction with FR320 glass stop.
- Also available in pre-cut kit form.
- Available in steel, stainless steel, brass & bronze.

10 PER BUNDLE (TRIM ONLY)



TEMPLATES FOR LITE KITS DR313

- Mark the door in seconds - accurately, and precisely. You would be surprised how much time it really takes your shop person to mark the door for a lite kit cut-out.
- This operation is grossly under estimated by many.
- With this steel template, you will be astonished how much time and money you will save. Another great way to improve your efficiency!

ROUND VISION LITE KITS DR347

- Ideal for wood, steel, composite and kalemein door types.
- Available in 12" and 18" sizes.



GLASS DR312

- 1/4" thick wire glass.
- For fire and non-fire rated lite kits.
- Variety of sizes available.

Also available (cut to size):

- Clear tempered glass.
- Impact safety-rated wire glass.
- Ceramic glass.
- Fire rated wire glass.

IMAGINE THE POSSIBILITIES

WITH

VISION LITE

DR345 Sandwich-type Vision Lite Kit

The revolutionary DR345 Vision Lite Kit features a slim and elegant design and is available in a huge variety of sizes and finishes. Easy to install in all door types.

Realize your vision with Vision Lite.

Marble | Knotty Pine | Walnut | Teak | Cherry | Burlwood

Available In Powder Coated Grey or Bronze, Stainless Steel, Chrome, Brass, Bronze and a Range of Specialty Finishes

SIZING CHART FOR VISION LITE SANDWICH-TYPE LITE KIT **DR345**

ORDER SIZE	EXPOSED GLASS SIZE	ACTUAL GLASS SIZE
DR345 - 5 x 35	3” x 33”	4” x 34”
DR345 - 6 x 8	4” x 6”	5” x 7”
DR345 - 6 x 16	4” x 14”	5” x 15”
DR345 - 6 x 27	4” x 25”	5” x 26”
DR345 - 6 x 28	4” x 26”	5” x 27”
DR345 - 6 x 30	4” x 28”	5” x 29”
DR345 - 6 x 34	4” x 32”	5” x 33”
DR345 - 6 x 36	4” x 34”	5” x 35”
DR345 - 6 x 48	4” x 46”	5” x 47”
DR345 - 7 x 22	5” x 20”	6” x 21”
DR345 - 8 x 18	6” x 16”	7” x 17”
DR345 - 8 x 30	6” x 28”	7” x 29”
DR345 - 8 x 32	6” x 30”	7” x 31”
DR345 - 8 x 36	6” x 34”	7” x 35”
DR345 - 8 x 38	6” x 36”	7” x 37”
DR345 - 9 x 50	7” x 48”	8” x 49”
DR345 - 9 x 62	7” x 60”	8” x 61”
DR345 - 10 x 10	8” x 8”	9” x 9”
DR345 - 10 x 20	8” x 18”	9” x 19”
DR345 - 10 x 46	8” x 44”	9” x 45”
DR345 - 10 x 58	8” x 56”	9” x 57”
DR345 - 12 x 12	10” x 10”	11” x 11”
DR345 - 12 x 50	10” x 48”	11” x 49”
DR345 - 14 x 66	12” x 64”	13” x 65”
DR345 - 15 x 30	13” x 28”	14” x 29”
DR345 - 16 x 16	14” x 14”	15” x 15”
DR345 - 16 x 22	14” x 20”	15” x 21”
DR345 - 16 x 28	14” x 26”	15” x 27”
DR345 - 16 x 30	14” x 28”	15” x 29”
DR345 - 16 x 54	14” x 52”	15” x 53”
DR345 - 16 x 58	14” x 56”	15” x 57”
DR345 - 18 x 18	16” x 16”	17” x 17”
DR345 - 18 x 24	16” x 22”	17” x 23”
DR345 - 18 x 32	16” x 30”	17” x 31”
DR345 - 18 x 34	16” x 32”	17” x 33”
DR345 - 18 x 66	16” x 64”	17” x 65”
DR345 - 20 x 20	18” x 18”	19” x 19”
DR345 - 20 x 22	18” x 20”	19” x 21“
DR345 - 20 x 24	18” x 22”	19” x 23”
DR345 - 20 x 26	18” x 24”	19” x 25”
DR345 - 20 x 30	18” x 28”	19” x 29”
DR345 - 20 x 32	18” x 30”	19” x 31“
DR345 - 20 x 62	18” x 60”	19” x 61”
DR345 - 20 x 66	18” x 64”	19” x 65”

ORDER SIZE	EXPOSED GLASS SIZE	ACTUAL GLASS SIZE
DR345 - 22 x 28	20” x 26”	21” x 27”
DR345 - 22 x 30	20” x 28”	21” x 29”
DR345 - 22 x 32	20” x 30”	21” x 31”
DR345 - 22 x 34	20” x 32”	21” x 33”
DR345 - 22 x 60	20” x 58”	21” x 59”
DR345 - 22 x 62	20” x 60”	21” x 61”
DR345 - 22 x 64	20” x 62”	21” x 63”
DR345 - 22 x 66	20” x 64”	21” x 65”
DR345 - 24 x 24	22” x 22”	23” x 23”
DR345 - 24 x 28	22” x 26”	23” x 27”
DR345 - 24 x 30	22” x 28”	23” x 29”
DR345 - 24 x 32	22” x 30”	23” x 31”
DR345 - 24 x 34	22” x 32”	23” x 33”
DR345 - 24 x 36	22” x 34”	23” x 35”
DR345 - 24 x 38	22” x 36”	23” x 37”
DR345 - 24 x 54	22” x 52”	23” x 53”
DR345 - 24 x 56	22” x 54”	23” x 55”
DR345 - 24 x 60	22” x 58”	23” x 59”
DR345 - 24 x 64	22” x 62”	23” x 63”
DR345 - 24 x 66	22” x 64”	23” x 65”
DR345 - 26 x 26	24” x 24”	25” x 25”
DR345 - 26 x 32	24” x 30”	25” x 31”
DR345 - 26 x 34	24” x 32”	25” x 33”
DR345 - 26 x 36	24” x 34”	25” x 35”
DR345 - 26 x 38	24” x 36”	25” x 37”
DR345 - 26 x 44	24” x 42”	25” x 43”
DR345 - 26 x 56	24” x 54”	25” x 55”
DR345 - 26 x 58	24” x 56”	25” x 57”
DR345 - 26 x 60	24” x 58”	25” x 59”
DR345 - 26 x 62	24” x 60”	25” x 61”
DR345 - 26 x 64	24” x 62”	25” x 63”
DR345 - 26 x 66	24” x 64”	25” x 65”
DR345 - 26 x 70	24” x 68”	25” x 69”
DR345 - 28 x 34	26” x 32”	27” x 33”
DR345 - 30 x 34	28” x 32”	29” x 33”
DR345 - 32 x 58	30” x 56”	31” x 57”
DR345 - 32 x 62	30” x 60”	31” x 61”
DR345 - 32 x 64	30” x 62”	31” x 63”

c UL us LISTED

IT JUST **SNAPS IN!**

Save Time and Money with the **Fastest and Easiest** Door Lite Kit on the Market!

FIRE RATED BY UL AND WARNOCK HERSEY



HORIZONTAL TRIM SIZING CHART

Dimensions shown in ( ) are in mm

Glass Opening Width	Actual Glass Width	Part No.	Actual Cut-Out In Door Skin Width	Trim Length	Stop Length	Box Qty.
5" (127)	6" (152)	**DR340 - 5 H**	6 3/8" (162)	6 1/4" (159)	5" (127)	50
6" (152)	7" (178)	**DR340 - 6 H**	7 3/8" (187)	7 1/4" (184)	6" (152)	50
7" (178)	8" (203)	**DR340 - 8 H**	8 3/8" (213)	8 1/4" (210)	7" (178)	50
8" (203)	9" (229)	**DR340 - 9 H**	9 3/8" (238)	9 1/4" (235)	8" (203)	50
9 3/4" (248)	10 3/4" (273)	**DR340 - 10 H**	11 1/8" (283)	11" (279)	9 3/4" (248)	50
11" (279)	12" (305)	**DR340 - 12 H**	12 3/8" (314)	12 1/4" (311)	11" (279)	50
13" (330)	14" (356)	**DR340 - 14 H**	14 3/8" (365)	14 1/4" (362)	13" (330)	30
15" (381)	16" (406)	**DR340 - 16 H**	16 3/8" (416)	16 1/4" (413)	15" (381)	30
17" (432)	18" (457)	**DR340 - 18 H**	18 3/8" (467)	18 1/4" (464)	17" (432)	30
18" (457)	19" (483)	**DR340 - 19 H**	19 3/8" (492)	19 1/4" (489)	18" (457)	30
19" (483)	20" (508)	**DR340 - 20 H**	20 3/8" (517)	20 1/4" (514)	19" (483)	30
20" (508)	21" (533)	**DR340 - 21 H**	21 3/8" (543)	21 1/4" (540)	20" (508)	30
21" (533)	22" (559)	**DR340 - 22 H**	22 3/8" (568)	22 1/4" (565)	21" (533)	30
22" (559)	23" (584)	**DR340 - 23 H**	23 3/8" (594)	23 1/4" (591)	22" (559)	30
23" (584)	24" (610)	**DR340 - 24 H**	24 3/8" (619)	24 1/4" (616)	23" (584)	30
24" (610)	25" (635)	**DR340 - 25 H**	25 3/8" (644)	25 1/4" (641)	24" (610)	30
25" (635)	26" (660)	**DR340 - 26 H**	26 3/8" (670)	26 1/4" (667)	25" (635)	25
26" (660)	27" (686)	**DR340 - 27 H**	27 3/8" (695)	27 1/4" (692)	26" (660)	25
27" (686)	28" (711)	**DR340 - 28 H**	28 3/8" (721)	28 1/4" (718)	27" (686)	25
28" (711)	29" (737)	**DR340 - 29 H**	29 3/8" (746)	29 1/4" (743)	28" (711)	25
29" (737)	30" (762)	**DR340 - 30 H**	30 3/8" (771)	30 1/4" (768)	29" (737)	25
30" (762)	31" (787)	**DR340 - 31 H**	31 3/8" (797)	31 1/4" (794)	30" (762)	25
31" (787)	32" (813)	**DR340 - 32 H**	32 3/8" (822)	32 1/4" (819)	31" (787)	25
32" (813)	33" (838)	**DR340 - 33 H**	33 3/8" (848)	33 1/4" (845)	32" (813)	20
33" (838)	34" (864)	**DR340 - 34 H**	34 3/8" (873)	34 1/4" (870)	33" (838)	20
34" (864)	35" (889)	**DR340 - 35 H**	35 3/8" (898)	35 1/4" (895)	34" (864)	20
35" (889)	36" (914)	**DR340 - 36 H**	36 3/8" (924)	36 1/4" (921)	35" (889)	20

THE AMAZING **SNAP-IN VISION LITE** IN KD FORM

- **Ready to install,** No reinforcing channel required, even for full glass!
- **KD Installation.** No screws or welding needed!
- **Available pre-cut, pre-notched.** Choose the horizontal and vertical lengths from charts or specify your own custom sizes.
- **Also available in 10' lengths**. Make your own custom sizes.



DON'T FORGET THE TEMPLATE!

Pair our amazing Vision Lite Kit with a template for lightning fast, error free markup, and take your installations to warp speed.

SEE PAGE 25 FOR DETAILS

VERTICAL TRIM SIZING CHART

Dimensions shown in ( ) are in mm

Glass Opening Height	Actual Glass Height	Part No.	Actual Cut-Out In Door Skin Height	Trim Length	Stop Length	Box Qty.
9 3/4" (248)	10 3/4" (273)	**DR340 - 10 V**	11 1/8" (283)	12" (305)	11 1/4" (286)	50
10 3/4" (273)	11 3/4" (298)	**DR340 - 12 V**	12 1/8" (308)	13" (330)	12 1/4" (311)	50
15" (381)	16" (406)	**DR340 - 16 V**	16 3/8" (416)	17 1/4" (438)	16 1/2" (419)	30
17" (432)	18" (457)	**DR340 - 18 V**	18 3/8" (467)	19 1/4" (489)	18 1/2" (470)	30
18 3/4" (476)	19 3/4" (502)	**DR340 - 20 V**	20 1/8" (511)	21" (533)	20 1/4" (514)	30
23" (584)	24" (610)	**DR340 - 24 V**	24 3/8" (619)	25 1/4" (641)	24 1/2" (622)	30
24" (610)	25" (635)	**DR340 - 25 V**	25 3/8" (644)	26 1/4" (667)	25 1/2" (648)	25
25" (635)	26" (660)	**DR340 - 26 V**	26 3/8" (670)	27 1/4" (692)	26 1/2" (673)	25
28" (711)	29" (736)	**DR340 - 29 V**	29 3/8" (746)	30 1/4" (768)	29 1/2" (749)	25
29" (737)	30" (762)	**DR340 - 30 V**	30 3/8" (771)	31 1/4" (794) 3	30 1/2" (775)	25
30" (762)	31" (787)	**DR340 - 31 V**	31 3/8" (797)	32 1/4" (819)	31 1/2" (800)	25
31" (787)	32" (813)	**DR340 - 32 V**	32 3/8" (822)	33 1/4" (845)	32 1/2" (826)	25
32" (813)	33" (838)	**DR340 - 33 V**	33 3/8" (848)	34 1/4" (870)	33 1/2" (851)	20
33" (838)	34" (864)	**DR340 - 34 V**	34 3/8" (873)	35 1/4" (895)	34 1/2" (878)	20
34" (864)	35" (889)	**DR340 - 35 V**	35 3/8" (898)	36 1/4" (921)	35 1/2" (901)	20
35" (889)	36" (914)	**DR340 - 36 V**	36 3/8" (924)	37 1/4" (946)	36 1/2" (927)	20
36" (914)	37" (940)	**DR340 - 37 V**	37 3/8" (949)	38 1/4" (971)	37 1/2" (953)	20
37" (940)	38" (965)	**DR340 - 38 V**	38 3/8" (975)	39 1/4" (997)	38 1/2" (978)	10 or 20 Per Bundle
47" (1194)	48" (1219)	**DR340 - 48 V**	48 3/8" (1229)	49 1/4" (1251)	48 1/2" (1232)	
53" (1346)	54" (1372)	**DR340 - 54 V**	54 3/8" (1381)	55 1/4" (1403)	54 1/2" (1384)	
63 1/2" (1613)	64 1/2" (1638)	**DR340 - 64 V**	64 7/8" (1648)	65 3/4" (1670)	65" (1651)	
65 1/2" (1664)	66 1/2" (1689)	**DR340 - 66 V**	66 7/8" (1699)	67 3/4" (1721)	67" (1702)	
67 1/2" (1715)	68 1/2" (1740)	**DR340 - 68 V**	68 7/8" (1749)	69 3/4" (1772)	69" (1753)	
69 1/2" (1765)	70 1/2" (1791)	**DR340 - 70 V**	70 7/8" (1800)	71 3/4" (1822)	71" (1803)	
79 1/2" (2019)	80 1/2" (2045)	**DR340 - 80 V**	80 7/8" (2054)	81 3/4" (2076)	81" (2057)	